

MAILCHIMPCONNECTOR FOR DAYLITE

Table of Contents

General.....	3
MailChimpConnector for Daylite.....	4
Setup	5
Installation	6
Licensing.....	9
Usage.....	12
Entering the required API key.....	13
Managing Lists.....	17
Sync between a Daylite Group and a MailChimp List.....	28
View MailChimp Reports in Daylite.....	34
Edit MailChimp lists in Daylite	36
Migrating from MailChimpConnector 2.x	38
Miscellaneous.....	40
Removing the Plugin.....	41

General

MailChimpConnector for Daylite

About

MailChimpConnector integrates the newsletter service MailChimp in Daylite.

MailChimpConnector enables you to sync your Daylite contacts with MailChimp. MailChimpConnector creates groups in Daylite according to your Lists on mailchimp.com. All contacts linked to that group(s) are being synced with the appropriate MailChimp list and provide a convenient way to manage your newsletter recipients. In addition MailChimpConnector supports segmented lists and merge tags. MailChimpConnector also provides the option to view detailed MailChimp reports as well as to view and edit MailChimp lists from within Daylite.

Features

MailChimpConnector provides the following features:

- Manage multiple MailChimp lists
- Sync between Daylite groups and MailChimp lists
- Detailed sync log
- Assign Daylite fields to MailChimp merge tags
- Create segments to target specific subscribers
- View MailChimp reports or view and edit lists from within Daylite

System Requirements


Operating System: OS X 10.8 or newer

Daylite Version: 4.3 or newer


Setup

Installation

1. MailChimpConnector requires Daylite 4.3 or newer. To check your Daylite version, go to the Daylite menu and select 'About Daylite'.



2. MailChimpConnector requires OS X 10.8 or newer. To check your OS X version, go to the Apple menu and select 'About this Mac'.




3. Double click 'MailChimpConnector_for_Daylite.dmg'.



MailChimpPlugin_for_Daylite
4.dmg


4. Double click 'mailchimplugin.daylite-plugin'



Double click to install:



5. Click 'Install' to confirm installation



6. Click 'Restart Daylite' to finalize the install



Success

Plugin 'mailchimpplugin' Successfully installed.
Daylite will now restart for the changes to take effect.


Restart Daylite

7. After the installation MailChimpConnector can be used free of charge for 14 days. If you would like to use it after these 14 days, please proceed to chapter ['Licensing'](#).


Licensing

After the installation you can test MailChimpConnector during a 14 day trial period. If you would like to use the plugin after this period of time, you will need to subscribe to MailChimpConnector on a monthly basis. In order to subscribe, please follow these steps (given the plugin is already installed):


1. Start Daylite
2. In the Daylite menu select Plug-Ins --> MailChimpConnector --> Preferences...



3. Click the License tab and select Purchase MailChimpConnector...



4. After filling in the form click Next and confirm the subscription



5. After finishing the subscription process successfully, you are being presented a licensing summary

Account Lists **License**

License - Subscription

Status: **active**

Expiration date: -

Monthly Cost: **€9,90**

Actions

Cancel subscription / Update payment method



Close


Usage

Entering the required API key


To link your MailChimp account with MailChimpConnector you need to enter your MailChimp API key.

In order to do so, please follow these steps:


1. Visit 'www.mailchimp.com'
2. If you haven't already done so, create an account with MailChimp
3. Log on to you account
4. Click your account name on the left hand side



5. Select My Profile



6. Navigate to Extras -> API keys



7. If there is no API key available yet, click Create A Key

About the API

The MailChimp API makes it easy for programm...
MailChimp's features into other applications. Interested in learning more?

[Read the API documentation](#)

Developing an app?

Writing your own application that requires access to other MailChimp users' accounts? Check out our [OAuth2 API documentation](#), then register your app.

[Register and manage your apps](#)

Your API keys

API keys provide full access to your MailChimp account, so keep them like a secret. [Tips on keeping API keys safe.](#)

[Mandrill API Keys.](#)

Created	User	Label	API Key	QR Code	Status
Dec 10, 2013 04:08 am	osxpertbiz (owner)	Schulung	07	QR	Disable
Sep 09, 2011 07:28 am	osxpertbiz (owner)	Daylite	ec	QR	Disable
Sep 09, 2011 07:27 am	osxpertbiz (owner)				Enable

Create A Key

7. Select the key and copy it using the shortcut <cmd ⌘> + <c>

Your API keys


API keys provide full access to your MailChimp account, so keep them like a secret. [Tips on keeping API keys safe.](#)

[Mandrill API Keys](#)


Created	User	Label	API Key	QR Code	Status
Dec 10, 2013 04:08 am	osxpertbiz (owner)	Schulung	07f8	QR	Disable

8. Start Daylite

9. In the Daylite menu navigate to Plugins -> MailChimpConnector -> Preferences...




10. Click the **Account** tab and paste the API Key into the appropriate field using the shortcut <cmd ⌘> + <v>



Managing Lists


To be able to manage your MailChimp lists in Daylite it is imperative to enter your API key beforehand, as described in the [previous chapter](#).

1. In Daylite navigate to Plugins -> MailChimp -> Preferences...




2. Select the Lists tab

On the left hand side of the window you'll see all your MailChimp lists. Lists that have been imported to Daylite already are displayed in bold letters and show a green dot at the end of the line. The following steps describe how to manage MailChimp lists in Daylite.




Importing a MailChimp List as a Group in Daylite


1. Select the desired list on the left hand side of the window



2. Click Create to import the list as a group in Daylite




3. An imported MailChimp list shows up in Daylite as a group named '[MailChimp] <your MailChimp list name>'. This group contains the three subgroups 'Errors', 'Unsubscribers' and 'Segments (Static)'. The 'Errors' subgroup contains all recipients that ran into an error during a sync with MailChimp. The 'Unsubscribers' subgroup contains all recipients who unsubscribed from your mailing list. The 'Segments (Static)' subgroup will be explained later on in this chapter.




Deleting a MailChimp Group in Daylite


1. Select the desired list



2. Click Delete Group in Daylite



3. Select **Delete** if you would like to remove the link to the corresponding MailChimp list *AND* the Daylite group itself. Select **Unlink list** if you would like to remove the link to the corresponding MailChimp list but want to keep the Daylite group.




Manage Merge Tags


MailChimp supports the usage of merge tags to populate your campaign with dynamic content. If you are unfamiliar with the term 'merge tag', you'll find more information at www.mailchimp.com.

By default the merge tags for 'first name', 'last name' and 'email address' are linked to the corresponding fields in Daylite. So, if you want to use just these tags you are all set already! If you would like to use other Daylite fields, use the following steps as a reference. After adding the desired merge tags on www.mailchimp.com manage them in Daylite:


1. Select a list. Please note: the list needs to be imported to Daylite first (please refer to chapter Importing a MailChimp List as a Group in Daylite)



2. Select the tab Merge Tags




3. The tab shows all merge tags you have configured for the particular list. To use a specific merge tag, check the box in column Active accordingly



4. Select the desired Daylite field in the Daylite Field column drop-down menu, which you would like to assign to the particular merge tag


Please note: Daylite fields denoted by an asterisk will not be synchronized both ways, i.e. data is being transferred from Daylite to MailChimp but changes on mailchimp.com will not be sync'd back to Daylite




Managing Segments

MailChimp supports the option to divide your mailing list into segments. If you are unfamiliar with this option, please refer to this article at www.mailchimp.com.


1. Select a list. Please note: the list needs to be imported to Daylite first (please refer to chapter Importing a MailChimp List as a Group in Daylite)




2. Select the Segments tab




3. To add a segment click the Plus Sign




4. Enter the desired name for the segment and click Create



5. In your MailChimp group a new subgroup with the name chosen in step 4 is being created within the 'Segments (Static)' subgroup



6. To delete a segment select it and click the Minus Sign




Sync between a Daylite Group and a MailChimp List

By using MailChimpConnector to sync between Daylite and MailChimp it is possible to create new contacts, update existing contacts and also subscribe or unsubscribe a person. MailChimpConnector keeps your contacts in a MailChimp list and the corresponding Daylite group synchronized. When you edit a person in Daylite, e.g. change the person's email address, the change finds its way to this person on the MailChimp list.

There is one exception though: members of a segment subgroup should solely be managed in Daylite. Contacts added to a segment on MailChimp won't be synced with Daylite. You'll find more info on this matter later on in this chapter.

Performing a Sync

1. Select the group you would like to sync
2. Click the MailChimp tab




3. Select the Synchronization tab


This tab provides the following features:

- (1) A click on the 'Synchronize list' starts the sync process
- (2) The lower part of the tab shows the last sync log. During a sync it shows information regarding the current sync process


Click **Synchronize list** to start the sync process



4. The group is now being updated. In case a new person is being created, the log will indicate details




5. New contacts will be automatically assigned to the group and show together with existing contacts




Add Daylite Contacts to a MailChimp Group

Please note: There are different ways to link a contact or even multiple contacts at once to a group in Daylite. The following steps are just an example.

1. Select the contact you would like to add to a MailChimp group
2. Click the Add Group dialog to link the contact to the desired group




3. Navigate to the group the contact has been linked to
4. Select the MailChimp tab




5. Click Synchronization

6. Click Synchronize list



7. The log will indicate whether the sync has been successful




View MailChimp Reports in Daylite

With only one click you can view MailChimp reports regarding your campaigns. Reports contain information on open and click rates. You'll find more information on that matter at www.mailchimp.com.

View a report

1. Select the desired group
2. Click the MailChimp tab



3. Click Reports

Select the desired campaign and report

The screenshot displays the MailChimp Reports interface for a 'Customer Newsletter'. The left sidebar contains navigation options such as Home, Calendar, Contacts, People, Companies, Clients, Leads, Suppliers, Shared People, Shared Companies, Objectives, Tasks, Notes & Email, Forms, Groups, All Groups, Reports, and Time&Budget. The main content area shows the report details for the 'Customer Newsletter' sent on Wednesday, November 12, 2014, at 03:33 pm. The subject is 'Moonlight Newsletter'. The report includes the following metrics:

Metric	Value	Comparison
Open rate	100.0%	List avg: 100.0%
Click rate	40.0%	List avg: 40.0%
Industry avg (Education and Training)	18.7%	Industry avg (Education and Training): 2.5%

At the bottom of the report, there are four summary boxes:


- 10 Opened
- 4 Clicked
- 0 Bounced
- 0 Unsubscribed

Edit MailChimp lists in Daylite

You can edit MailChimp lists from within Daylite. This means that you can, for example, create merge without leaving the Daylite window.

To edit lists, follow these steps:

1. Select the desired list
2. Click the MailChimp tab



3. Click Lists

You will now see all you MailChimp lists. Select the list you would like to edit.

The screenshot shows the MailChimp web interface. On the left is a navigation sidebar with categories like Home, Calendar, Contacts, People, Companies, Clients, Leads, Suppliers, Shared People, Shared Companies, Objectives, Tasks, Notes & Email, Forms, Groups, All Groups, Reports, and Time&Budget. The main content area is titled 'Lists' and shows 'Customer Newsletter 4'. Below the title are options for 'Stats', 'Manage subscribers', 'Add subscribers', 'Signup forms', and 'Settings'. A 'View subscribers' section includes 'Segments' and 'Subscribed' dropdowns, an 'Export List' button, and a 'Toggle Columns' button. A table displays subscriber data with columns for Email Address, First Name, Last Name, Company, Member Rating, Last Changed, and Date Added.


	Email Address	First Name	Last Name	Company	Member Rating	Last Changed	Date Added
<input type="checkbox"/>	hallo@iosxpert.biz	Enis	Connell		★★★★☆	11/26/14 5:48PM	11/26/14 5:47PM
<input type="checkbox"/>	bianca.hornig@iosxpert.biz	Bianca	Hornig		★★★★★	11/12/14 3:31PM	11/12/14 3:31PM
<input type="checkbox"/>	daniel.nauerz@iosxpert.biz	Daniel	Nauerz		★★★★★	11/12/14 3:31PM	11/12/14 3:31PM
<input type="checkbox"/>	florian.schwehn@iosxpert.biz	Florian	Schwehn		★★★★★	11/12/14 3:31PM	11/12/14 3:31PM

Migrating from MailChimpConnector 2.x


If you have been using MailchimpConnectors version 2.x, you need to migrate the MailChimp groups in Daylite before you can use MailChimp version 3.

To migrate follow these steps:

1. Select the desired group you would like to migrate



3. In the Daylite manu navigate to Plugins -> MailChimpConnector and select the option 'Migrate selected list...'



After the successful migration you can use this group with MailChimpConnector 3.




Miscellaneous

Removing the Plugin

Follow these steps to deinstall a Daylite plugin


1. Open Finder




2. In the menu bar select Go and hold down the ⌘ alt key. The Library folder will appear




4. Navigate to the folder Application Support ->




5. -> com.marketcircle.Daylite4 ->



6. -> Plugins



7. Delete the file mailchimpplugin.daylite-plugin



8. Restart Daylite